


MARICOPA COUNTY

Figure 10.1



Participants who answered “yes” to a screener question inquiring whether they have a problem or need assistance with activities of daily living (ADLs) were subsequently asked about their need for assistance with each of the following activities: taking a bath or a shower, dressing, eating, getting in and out of a bed or a chair, using or getting to a toilet, and getting around inside the home. In addition, participants who answered “yes” to a screener question inquiring whether they have a problem or need assistance with instrumental activities of daily living (IADLs) were subsequently asked about their need for assistance with each of the following activities: going outside the home, doing light housework, preparing meals, driving a car/using public transportation, taking the right

MARICOPA COUNTY


Figure 10.1 (cont.)

amount of prescribed medication, and keeping track of money and bills. Unmet need was defined as not getting help or not getting enough help with one or more ADLs or IADLs for which assistance was needed. In Maricopa County, nearly one of twelve (8%) people age 65+ need help with one or more ADLs and/or IADLs. Among those with one or more ADLs and/or IADLs, nearly six of ten (58%) have one or more unmet needs.

Note: Indicator 10 corresponds to Questions 72a-b, 73a-b, 74a-b, 72d-f, 73d-f, 74d-f, 72h, 73h, 74h, 76a-g, 77a-g, and 78a-g in the AdvantAge Initiative survey questionnaire.

MARICOPA COUNTY

Figure 10.2



Overall, nearly one of twelve (8%) people age 65+ have one or more ADL and/or ADL limitations. Figure 10.2 shows differences by demographic characteristics. People age 75+ are four times more likely than those age 65-74 to have one or more ADL and/or IADL limitations (13% vs. 3%). The differences within the other categories are small.

MARICOPA COUNTY

Figure 10.3





Figure 10.3 shows additional differences by demographic characteristics of people age 65+ who have one or more ADL and/or IADL limitations. People in fair or poor health are nearly five times as likely as those in better health to have one or more ADL and/or IADL limitations (24% vs. 5%). The differences are small within the other categories.

MARICOPA COUNTY

Figure 10.4

Percentage of people age 65+ with adequate assistance* in ADL and/or IADL activities, by demographics

Base: People who have one or more ADL/IADL limitations



*People were asked whether they get help and if yes, whether they get enough help with each ADL/IADL activity. Unmet need was defined as not getting help or not getting enough help for one or more ADLs and/or IADLs for which assistance was needed.

**All others includes Hispanic of any race, Black/African American, Asian, other, and mixed race.



Center for Home Care Policy and Research
Visiting Nurse Service of New York



Table 10.4: Unweighted N and Weighted N of people with ADL and/or IADL limitations within each demographic group

	Total	Age 65-74	Age 75+	Women	Men	White non-Hispanic	All others**	≥200% of poverty	<200% of poverty
Unweighted N=	52	10	42	38	14	46	6	17	16
Weighted N=	29027	5265	23762	20818	8208	26077	2950	9527	8503

Figure 10.4 displays a demographic breakdown of people age 65+ who have one or more ADL and/or IADL limitations *and* met or unmet needs. Due to the small subgroup of people with one or more ADL and/or IADL limitations (see Table 10.4), differences in met/unmet needs within demographic subgroups fall within the margin of error of the survey.¹


¹While the margin of error for the overall survey sample is ± 3 percent, in analysis by subgroups where the Unweighted N ≤ 50 , the margin of error is ± 15 percent or higher.

MARICOPA COUNTY

Figure 10.5

Percentage of people age 65+ with adequate assistance* in ADL and/or IADL activities, by demographics (cont.)

Base: People who have one or more ADL/IADL limitations



*People were asked whether they get help and if yes, whether they get enough help with each ADL/IADL activity. Unmet need was defined as not getting help or not getting enough help for one or more ADLs and/or IADLs for which assistance was needed.



Center for Home Care Policy and Research
Visiting Nurse Service of New York



Table 10.5: Unweighted N and Weighted N of people with ADL and/or IADL limitations within each demographic group

	Total	Education >HS	Education ≤HS	Ex/vg/good health	Fair/poor health	Live w/others	Live alone	Friends in the neighborhood	No friends in the neighborhood
Unweighted N=	52	27	25	26	25	26	26	34	17
Weighted N=	29027	14738	14289	14196	14125	14972	14055	18699	9810

Figure 10.5 displays a demographic breakdown of people age 65+ who have one or more ADL and/or IADL limitations *and* met or unmet needs. Due to the small subgroup of people with one or more ADL and/or IADL limitations (see Table 10.5), differences in met/unmet needs within demographic subgroups fall within the margin of error of the survey.¹

¹While the margin of error for the overall survey is ± 3 percent, in analysis by subgroups where the Unweighted N ≤ 50 , the margin of error is ± 15 percent or higher.